News and Reviews
INDEX TO VOLUME 61
Author Index

ANON., Preface to Irrigation Symposium papers, 193.
ANON., New potato variety Sunrise released, 435
ABAD, J., *see* Nydegger, H.
ABAD, J.A. and L.F. SALAZAR. Diagnosis of potato virus and spindle tuber viroid, 517, (abstr).
AKELEY, R.V., *see* Reeves, A.F.
ALLABY, E.S., *see* Tai, G.C.C., Tarn, T.R.
ALLEN, T.C., *see* Davis, J.R.
ANDRADE-SOTO, N., *see* Ciampi-Panno, L.
ARNDT, G.C., *see* Kidane-Mariam, H.M.
BAMBERG, J.B. and R.E. HANNEMAN, Jr. Hastened germination of slow germinating potato seedlots by the use of gibberellic acid and activated charcoal, 517 (abstr).
BANTTARI, E.E., *see* Franc, G.D.
BARTZ, J.A. and A. KELMAN. Bacterial soft rot in washed potato tubers in relation to temperatures of tubers and water during simulated commercial handling practices, 485.
BARTZ, J.A. and A. KELMAN. Inoculation of potato tubers with *Erwinia carotovora* during simulated commercial washing and fluming practices, 495.
BINNING, L.K., *see* Shields, E.J.
BISHOP, G., *see* Mndolwa, D.
BISHOP, J.C., *see* Timm, H.
BOE, A.A., *see* Johansen, R.H.
BOITEAU, G. and R.H. PARRY. The simulation of inflights of the green peach aphid, *Myzus persicae* (Sulzer), in New Brunswick, by thermal summation, 518, (abstr).
BOURGOIN, T.L. Developing a potato irrigation scheduling program—the Maine situation, 195.
BOWMAN, T., *see* Voss, R.E.
BRAUE, C.A., R.L. WAMPLE, P.E. KOLATTUKUDY, R. THORNTON and B.B. DEAN. Influence of vine senescence and storage on wound healing of Russet Burbank tubers, 475.
BRODIE, B.B., *see* Plaisted, R.L.
BUREAU, J.L., *see* Bushway, R.J.
BUSHWAY, A.A., R.J. BUSHWAY and C.H. KIM. Isolation, partial purification, and characterization of a potato glycoalkaloid glycosidase, 518, (abstr).
BUSHWAY, A.A., R.H. TRUE, T.M. WORK and R.J. BUSHWAY. A comparison of chemical and physical methods for treating French fries to produce an acceptable microwaved product, 31.
BUSHWAY, R.J., *see* Bushway, A.A.
BUSHWAY, R.J., J.L. BUREAU and M.R. STICKNEY. A new extraction method for extracting glycoalkaloids from dehydrated potatoes, 518, (abstr).
CANTELO, W.W., *see* Cantwell, G.E., Sanford, L.L.
CANTWELL, G.E. and W.W. CANTELO. Control of the Colorado potato beetle with *Bacillus thuringiensis* variety *thuringiensis,* 451.
CARY, J.W., *see* Holder, C.B.
CHU, CHANGI-CHI, H. PLATE and D.L. MATTHEWS. Fertilizer to potatoes as affected by fertilizer source, rate and placement, 591.

CHASE, R.W., *see* Mutch, D.R., Zaag, R. Vander
CHAUDHRY, A.H., S.M.A. SHAH, K.I. HUSSAIN, CH. A.H. TARIQ and R.E. WEBB. Evaluation of potato seed tubers from different sources in the Punjab plain of Pakistan, 703.
CIAMPI-PANNO, L. and N. ANDRADE-SOTO. Preliminary evaluation of bacterial soft rot resistance in native Chilean potato clones, 109.
CLAUSEN, A.M., *see* Okada, K.A.
COLEMAN, W.K., *see* McDonald, J.C.
COLEMAN, W.K. Large scale application of bromoethane for breaking potato tuber dormancy, 587.
COLEMAN, W.K. and R.R. KING. Changes in endogenous abscisic acid, soluble sugars and proline levels during tuber dormancy in *Solanum tuberosum* L., 437.
CORSINI, D.L., *see* Martin, M.W., Mndolwa, D.
CORSINI, D.L., J. PAVEK and J. DAVIS. Verticillium wilt and early blight resistant potato breeding clones, 519, (abstr).
COXON, D.T. Methodology for glycoalkaloid analysis, 169.
CRAIG, Jr., J.C., *see* Kozempel, M.F.
CUNNINGHAM, C.E., *see* Reeves, A.F.
CURWEN, D., *see* Shields, E.J.
CURWEN, D. and L.R. MASSIE. Potato irrigation scheduling in Wisconsin, 235.
CURWEN, D. and J.A. WYMAN. Effect of hill modification on water infiltration pattern and yield and grade of Russet Burbanks, 519, (abstr).
DAVIS, J., *see* Corsini, D.L.
DAVIS, J.R. Approaches for the control of potato early dying caused by *Verticillium dahliae,* 519, (abstr).
DAVIS, J.R. and T.C. ALLEN. Relationships of defined PVX infection levels to verticillium wilt, yield, and quality of the Russet Burbank potato, 669.
DAVIS, J.R. and L.H. SORENSON. Effects of soil "solariziation" with moderate air temperatures on potato production, 520, (abstr).
DEAN, B.B., *see* Braue, C.A.
DeJONG, H., *see* Tai, G.C.C., Young, D.A.
DENNETT, C., *see* Voss, R.E.
DRIPPS, J.E., Z. SMILOWITZ and D.P. KNIEVEL. Potato response to water stress and Colorado potato beetle damage, 520, (abstr).
DWELLE, R.B. and P.J. HURLEY. The effects of foliar application of cytokinins on potato yields in southeastern Idaho, 293.
EASTON, G.D. and M.E. NAGLE. Metalaxyl and other fungicides for control of *Phytophthora infestans* on potato in northwest Washington state, 83.
EHLENFELDT, M.K. and R.E HANNEMAN, Jr. The transfer of the synaptic gene (sy-2) from 1EBN to 2EBN germplasm, 521, (abstr).
EHLENFELDT, M.K. and R.E. HANNEMAN, Jr. The genetic factors regulating the endosperm balance number (EBN) system, 521, (abstr).
ENTZ, M.H. and L.J. LaCROIX. The effect of in-row spacing and seedtype on the yield and quality of a potato cultivar, 93.
ESTRADA, R.N. Acaphu: a tetraploid, fertile breeding line, selected from an *S. acaule* × *S. phureja* cross, 1.
EWING, E.E., *see* Howell, A.B.
FARNSWORTH, B., *see* Johansen, R.H.
FRANC, G.D. and E.E. BANTTARI. The transmission of potato virus S by the cutting knife and retention time of infectious PVS on common surfaces, 253.
FRANK, J.A., *see* Webb, R.E.
FOX, R.L., *see* Manrique, L.A.

GALINDEZ, W., *see* Martin, C.
GHATE, S.R., *see* Risse, L.A.
GOTH, R.W., *see* Webb, R.E.
GREGORY, P. Glycoalkaloid composition of potatoes: diversity and biological implications, 115.
GUERARD, J.P., *see* Timm, H., Voss, R.E.
HAHN, D., *see* Johansen, R.H.
HAMMERSCHMIDT, R., *see* Zaag, R. Vander
HANE, D.C. and F.V. PUMPHREY. Yield-evapotranspiration relationships and seasonal crop coefficients for frequently irrigated potatoes, 661.
HANNEMAN, R.E., Jr., *see* Bamberg, J.B., Ehlenfeldt, M.K.
HAYNES, Jr., F.L., *see* Herriott, A.B.
HENNINGER, M.R., *see* Webb, R.E.
HEPLER, P.R. and J.H. WENDEROTH. Effect of rotation and crop sequence on yield and quality of commercial potatoes in Aroostook County, Maine, 523, (abstr).
HERMUNDSTAD, S.A. and S.J. PELOQUIN. Tuberization and male fertility of haploid tuberosum-species hybrids, 523, (abstr).
HERRIOTT, A.B. and F.L. HAYNES, Jr. The heritability of resistance to early blight disease in diploid potatoes (*Solanum tuberosum,* subsp. *phureja* and *stenotomum*), 524, (abstr).
HOLDER, C.B. and J.W. CARY. Soil oxygen and moisture in relation to Russet Burbank potato yield and quality, 67.
HOLM, D.G., *see* Workman, M.
HUARTE, M.A. and R.L PLAISTED. Selection for tuberosum likeness in the vines and in the tubers in a population of Neotuberosum, 461.
HUSSAIN, K.I., *see* Chaudhry, A.H.
HUNG, YUNG-TSE. Treatment of potato processing wastewaters by activated carbon adsorption process, 9.
HUNG, YUNG-TSE. Batch anaerobic digestion of potato wastewaters, 524, (abstr).
HUNTER, J.H. Heat balance and moisture control in potato storages, 525, (abstr).
HURLEY, P.J., *see* Dwelle, R.B.
HYGNSTROM, J.R., *see* Shields, E.J.
IRITANI, W.M., *see* Schotzko, R.T.
IRITANI, W.M., L.D. WELLER and N.R. KNOWLES. Factors influencing incidence of internal brown spot in Russet Burbank potatoes, 335.
IVANY, J.A., *see* Sanderson, J.B.
JAWORSKI, C.A., *see* Risse, L.A.
JANSSON, R.K. and Z. SMILOWITZ. Differential response of the Colorado Potato Beetle (*Coleoptera: Chrysomelidae*) and the Green Peach Aphid (*Homoptera: Aphididae*) to nitrogen fertilizer level, 525, (abstr).
JOHANSEN, R.H., B. FARNSWORTH, G.A. SECOR, D. HAHN, D.C. NELSON, P.H. ORR and A.A. BOE. Redsen: a new bright red-skinned potato cultivar, 549.
JOHNSTON, E.F., *see* Nowak, R.J.
JOHNSTON, E.F., A.S. KEZIS and R.J. NOWAK. Maine potato farms—fewer and larger, 525, (abstr).
JOHNSTON, E.F., R.J. NOWAK and A.S. KEZIS. Combating obsolescence in Maine's potato storages, 526 (abstr).
KELMAN, A., *see* Bartz, J.A.
KERSON, G., *see* Mangat, B.S.
KEZIS, A.S., *see* Johnston, E.F., Nowak, R.J.

KIDANE-MARIAM, H.M., G.C. ARNDT and S.J. PELOQUIN. Characteristics of hybrid and open-pollinated TPS families and effect of male fertility on seed production, 527, (abstr).

KIM, C.H., *see* Bushway, A.A.

KING, R.R., *see* Coleman, W.K.

KIRKHAM, R.P. and G.M. WILSON. Tarago: a crisping potato released in South Eastern Australia, 331.

KIRKUN, J., *see* Nachmias, A.

KNIEVEL, D.P., *see* Dripps, J.E.

KNOWLES, N.R., *see* Iritani, W.M.

KOLATTUKUDY, P.E., *see* Braue, C.A.

KOTCON, J.B. and D.I. ROUSE. Root deterioration in the potato early dying syndrome: causes and effects of root biomass reductions associated with colonization by *Verticillium dahliae*, 557.

KOZEMPEL, M.F., J.F. SULLIVAN and J.C. CRAIG, Jr. Modelling and simulating commercial hot water blanching of potatoes, 527, (abstr).

KUC, J. Steroid glycoalkaloids and related compounds as potato quality factors, 123.

LaCROIX, L.J., *see* Entz, M.H.

LADD, T.L., *see* Sanford, L.L.

LARSEN, D.C. Simplifying potato irrigation scheduling—the Idaho program, 215.

LIZARRAGA, C., *see* Nydegger, U.

LOZOYA-SALDANA, H. and O. MERLIN-LARA. Thermotherapy and tissue culture for elimination of potato virus X (PVX) in Mexican potato cultivars resistant to late blight, 735.

LYNCH, D.R., *see* Mains, W.H.

MacDONALD, M.L., *see* Tarn, T.R.

MacLEAN, A.A. Time of application of fertilizer nitrogen for potatoes in Atlantic Canada, 23.

MAINS, W.H. and D.R. LYNCH. Modification of a Hassia Potato Harvester to reduce potato damage, 107.

MANGAT, B.S., G. KERSON and D. WALLACE. The effect of 2,4-D on tuberization and starch content of potato tubers produced on stem segments cultured *in vitro*, 355.

MANRIQUE, L.A., G.Y. TSUJI, G. UEHARA and R.L. FOX. Winter and summer performance of potato (*Solanum tuberosum*) in isohyperthermic regimes, 41.

MANZER, F.E., *see* Reeves, A.F.

MANZER, F.E., R.H. STORCH and G.H. SEWELL. Evidence for a relationship between certain soil arthropods and potato acid scab development, 528, (abstr).

MANZER, F.E., R.H. STORCH and G.H. SEWELL. Evidence for a relationship between certain soil arthropods and acid scab development, 741.

MARTIN, C., *see* Torres, H.

MARTIN, C. Verticillium wilt of potato in central Peru, 528, (abstr).

MARTIN, C., W. GALINDEZ and H. TORRES. Chemical control of rhizoctonia damping-off in potato seedlings from true seed, 529, (abstr).

MARTIN, M.W. Preface to early generation selection methods symposium, 381.

MARTIN, M.W. Introduction, 383.

MARTIN, M.W. First generation selection in field grown potato seedlings, 529, (abstr).

MARTIN, M.W., P.E. THOMAS, G.S. SANTO, J.J. PAVEK and D.L. CORSINI. Development and maintenance of multi-disease resistant potato breeding parents, 529, (abstr).

MASCIANICA, M.P., R.F. WALDEN and N.L. POWELL. Comparison of a water balance model and tensiometers for scheduling of potato irrigation, 530, (abstr).

MASSIE, L.R., *see* Curwen, D.

MATTHEWS, D.L., *see* Chu, C-C.

McDONALD, J.G. and W.K. COLEMAN. Effect of two dormancy-breaking chemicals on the concentration of PVY and PVS in the tuber, 530, (abstr).
McDONALD, J.G. and W.K. COLEMAN. Detection of potato viruses Y and S in tubers by ELISA after breaking of dormancy with bromoethane or rindite, 619.
McMILLAN, L.P., *see* Tai, G.C.C.
MENDOZA, H.A., *see* Thompson, P.G.
MERLIN-LARA, O., *see* Lozoya-Saldana, H.
MISENER, G.C., *see* Tai, G.C.C.
MNDOLWA, D., G. BISHOP, D. CORSINI and J. PAVEK. Resistance of potato clones to the green peach aphid and potato leafroll virus, 713.
MOYER, D.D., *see* Reeves, A.F.
MURPHY, A.M. and G.C.C. TAI. A method to index sequential late blight scores, 531, (abstr).
MURPHY, H.J., *see* Reeves, A.F.
MUTCH, D.R., D. PENNER, F. ROGGENBUCK and R.W. CHASE. The use of additives, temperature, and plant position to increase efficacy of dinoseb for potato (*Solanum tuberosum*) vine desiccation, 577.
NACHMIAS, A. and J. KIRKUN. Verticillium wilt in Israel, 531.
NAGLE, M.E., *see* Easton, G.D.
NAKASHIMA, J., *see* Nydegger, U.
NELSON, D.C., *see* Johansen, R.H.
NELSON, G.A. Survival of *Corynebacterium sepedonicum* in infected potato stems and on contaminated surfaces held at freezing temperatures, 532, (abstr).
NICKESON, R.L., *see* Reeves, A.F.
NOWAK, R.J., *see* Johnston, E.F.
NOWAK, R.J., A.S. KEZIS and E.F. JOHNSTON. Optimal investment of PMIF revenues, 532, (abstr).
NYDEGGER, U., J. NAKASHIMA, J. ABAD and C. LIZARRAGA. Identification of *Pseudomonas solanacearum* by ELISA and latex test, 534, (abstr).
OKADA, K.A. and A.M. CLAUSEN. Collecting potatoes in northwest Argentina, 1983, 301.
ORMROD, D.P., *see* Petitte, J.M.
ORR, P.H., *see* Johansen, R.H., Talley, E.A.
PAVEK, J.J., *see* Corsini, D., Martin, M.W., Mndolwa, D.
PELLOW, J.W. and L.E. TOWILL. Improved procedures for the isolation and culture of protoplasts from *Solanum etuberosum*, 611.
PELOQUIN, S.J., *see* Hermundstad, S.A., Kidane-Mariam, H.M.
PENNER, D., *see* Mutch, D.R.
PETITTE, J.M. and D.P. ORMROD. Effects of sulphur dioxide and nitrogen dioxide on four *Solanum tuberosum* L. cultivars, 319.
PFEIFFER, W.C., *see* Rowberry, R.G.
PHATAK, S.C., *see* Risse, L.A.
PLAISTED, R.L., *see* Huarte, M.A.
PLAISTED, R.L., H.D THURSTON, B.B. BRODIE and R.W. HOOPES. Selecting for resistance to diseases in early generations, 395.
PLATE, H., *see* Chu, C-C.
PLATT, H.W. Attempts to eradicate late blight epidemics in potato field plots, 534, (abstr).
PLATT, H.W. and G.C.C. TAI. Assessment and analyses for the interpretation of potato late blight response in field studies, 599.
POWELL, N.L., *see* Mascianica, M.P.
POWELSON, M.L. Early dying disease of potatoes in the Pacific northwest caused by *Erwinia carotovora* pv. *carotovora* and *E. carotovora* pv. *atroseptica*, 535, (abstr).
PRITCHARD, M.K., *see* Waterer, D.R.

PUMPHREY, F.V., *see* Hane, D.C.
REEVES, A.F., R.V. AKELEY, C.E. CUNNINGHAM, R.L. NICKESON, H.J. MURPHY, R.H. TRUE and F.E. MANZER. Yankee Supreme: a new bruise-resistant potato variety, 683.
REEVES, A.F., R.V. AKELEY, F.E. MANZER, H.J. MURPHY, R.H. TRUE, J.B. SIECZKA and D.D. MOYER. Yankee Chipper: a new golden nematode resistant potato variety with wide adaptation in the northeastern United States, 287.
REEVES, A.F., R.V. AKELEY, F.E. MANZER, H.J. MURPHY, R.H. TRUE, J.B. SIECZKA and D.D. MOYER. Islander: a golden nematode resistant potato variety for fresh market and chipping, 543.
RIEDEL, R.M. and R.C. ROWE. Lesion nematode involvement in potato early dying disease, 535, (abstr).
RISSE, L.A., C.A. JAWORSKI, S.C. PHATAK and S.R. GHATE. Effect of storage temperature and duration on quality and survival of potato transplants, 261.
ROGGENBUCK, F., *see* Mutch, D.R.
ROUSE, D.I., *see* Kotcon, J.B.
ROUSE, D.I. Some approaches to prediction of potato early dying disease severity, 536, (abstr).
ROWBERRY, R.G. and W.C. PFEIFFER. A cost analysis of banding versus broadcasting fertilizer on potatoes, 362.
ROWE, R.C., *see* Riedel, R.M.
ROWE, R.C. Potato early dying—a serious threat to the potato industry, 536, (abstr).
ROWELL, A.B. and E.E. EWING. Selection and propagation of potato populations originating from true seed, 537, (abstr).
SANDERSON, J.B., J.A. IVANY and R.P. WHITE. Effect of time of desiccation on seed potato yield and size distribution, 691.
SANFORD, L.L., *see* Sinden, S.L.
SANFORD, L.L., T.L. LADD, S.L. SINDEN and W.W. CANTELO. Early generation selection of insect resistance in potato, 405.
SANTO, G.S., *see* Martin, M.W.
SCHOTZKO, R.T., W.M. IRITANI and R.E. THORNTON. The economics of Russet Burbank seed size and spacing, 57.
SEABROOK, J.E.A. Leaf bud tuber production of potato cultivars in response to mother plant age and daylength, 537, (abstr).
SECOR, G.A., *see* Johansen, R.H.
SEWELL, G.H., *see* Manzer, F.E.
SHAH, S.M.A., *see* Chaudhry, A.F.
SHIELDS, E.J., J.R. HYGNSTROM, D. CURWEN, W.R. STEVENSON, J.A. WYMAN and L.K. BINNING. Pest management for potatoes in Wisconsin—a pilot program, 508.
SHUMAKER, J.R., *see* Webb, R. E.
SIECZKA, J.B., *see* Reeves, A.F.
SINDEN, S.L., *see* Sanford, L.L.
SINDEN, S.L., L.L. SANFORD and R.E. WEBB. Genetic and environmental control of potato glycoalkaloids, 141.
SINGH, R.P. Factors affecting tuber-indexing of PVY by ELISA, 538, (abstr).
SMILOWITZ, Z., *see* Dripps, J.E., Jansson, R.K.
SNYDER, R.L. California irrigation management information system, 229.
SORENSON, L.H., *see* Davis, J.R.
STEVENSON, W.R., *see* Shields, E.J.
STICKNEY, M.R., *see* Bushway, R.J.
STORCH, R.H., *see* Manzer, F.E.

SULLIVAN, J.F., *see* Kozempel, M.F.
SWIEZYNSKI, K.M. Early generation selection methods used in Polish potato breeding, 385.
TAI, G.C.C., *see* Murphy, A.M., Platt, H.W.
TAI, G.C.C., G.C. MISENER, E.S. ALLABY and L.P. McMILLAN. Gravotater—a computerized apparatus for measuring specific gravity, 538, (abstr).
TAI, G.C.C., T.R. TARN and H. DeJONG. A software for storing parentage information and constructing pedigree trees for potato cultivars and parents, 538, (abstr).
TAI, G.C.C. and D.A. YOUNG. Early generation selection for important agronomic characteristics in a potato breeding population, 419.
TALLEY, E.A., R.B. TOMA and P.H. ORR. Amino acid composition of freshly harvested and stored potatoes, 267.
TARIQ, C.A.H., *see* Chaudhry, A.H.
TARN, T.R., *see* Tai, G.C.C.
TARN, T.R. Factor analysis as an aid to early generation selection, 539, (abstr).
TARN, T.R., E.S. ALLABY and M.L. MacDONALD. Computerized handling of data from Atlantic regional potato trials, 539, (abstr).
THOMAS, P.E., *see* Martin, M.W.
THOMPSON, P.G. and H.A. MENDOZA. Genetic variance estimates in a heterogenous potato population propagated from true seed (TPS), 697.
THORNTON, R., *see* Braue, C.A., Schotzko, R.T.
THURSTON, H.D., *see* Plaisted, R.L.
TIMM, H., J.C. BISHOP and J.P. GUERARD. Relationship between internal tissue necrosis of Red LaSoda potato and cultural procedures, 539, (abstr).
TINGEY, W.M. Glycoalkaloids as pest resistance factors, 157.
TOMA, R.B., *see* Talley, E.A.
TORRES, H., *see* Martin, C.
TORRES, H. and C. MARTIN. Evaluation of chemical products for the control of pink rot potato (*Phytophthora erythroseptica*), 540, (abstr).
TOWILL, L.E., *see* Pellow, J.W.
TOWILL, L.E. Seed set with potato pollen stored at low temperatures, 569.
TRUE, R.H., *see* Bushway, A.A., Reeves, A.F.
TSUJI, G.Y., *see* Manrique, L.A.
UEHARA, G., *see* Manrique, L.A.
VITOSH, M.L. Irrigation scheduling for potatoes in Michigan, 205.
VOSS, R.E., A.R. WEINHOLD, T. BOWMAN, C. DENNETT and J. GUERARD. Potato cultivars differ in susceptibility to *Sclerotium rolfsii,* 541, (abstr).
WALDEN, R.F., *see* Mascianica, M.P.
WALLACE, D., *see* Mangat, B.S.
WAMPLE, R.L., *see* Braue, C.A.
WATERER, D.R. and M.K. PRITCHARD. Volatile monitoring as a technique for differentiating between *E. carotovora* and *C. sepedonicum* infections in stored potatoes, 345.
WEBB, R.E., *see* Chaudhry, A.H., Sinden, S.L.
WEBB, R.E., D.R. WILSON, J.A. FRANK, R.W. GOTH, J.R. SHUMAKER and M.R. HENNINGER. Russette: a Russet-skin potato variety, combining high quality, high yields, and adaptation to the northeastern states and Florida, 77.
WEINHOLD, A.R., *see* Voss, R.E.
WELLER, L.D., *see* Iritani, W.M.
WENDEROTH, J.H., *see* Hepler, P.R.
WHITE, R.P., *see* Sanderson, J.B.
WILSON, D.R., *see* Webb, R.E.
WILSON, G.M., *see* Kirkham, R.P.
WORK, T.M., *see* Bushway, A.A.

WORKMAN, M. and D.G. HOLM. Potato clone variation in blackspot and soft rot susceptibility, redox potential, ascorbic acid, dry matter and potassium, 723.
WYMAN, J.A., *see* Curwen, D., Shields, E.J.
WYMAN, J.A. and D. CURWEN. Effect of application method and irrigation level on degradation, leaching, and efficacy of aldicarb, 541, (abstr).
YOUNG, D.A., *see* Tai, G.C.C.
YOUNG, D.A. and H. DeJONG. Caribe: a smooth, oblong, purple-skinned potato variety of early maturity, 281.
ZAAG, R. VANDER, R.W. CHASE, and R. HAMMERSCHMIDT. The effect of chlorine wash treatments on potato suberization, 540, (abstr).

INDEX TO VOLUME 61

Subject Index

A_{405} nm units, 254-5, 258
Abiotic factors, 703
Acid scab, 292, 543, 548, 741, 744, 746
Abscisic acid, 437-39, 441, 443, 445-7, 477, 481
Activated carbon adsorption, 9, 13
Activated charcoal, 517
Activated sludge, 11
Agrinet, 539
Agrotechnology transfer, 41
Agtron, 33, 38-9
Air pollution injury, 435
Amino acids, 267-9
Amino acids in egg, 277
Ammoniated fertilizer, 591, 594-6
Ammonium nitrate, 522, 591
Ammonium salts, 577
Analytical Methods
  ELISA, 169, 179-81
  GC, 169
  GLC, 120
  HPLC, 121, 169, 176-8, 181
  RIA, 169, 179-80
  TLC, 120, 169, 174, 181
Ascorbic acid, 723, 725, 728, 731-2
Bacteria
  Corynebacterium sepedonicum, 80, 345-50, 352, 532
  Bacillus, 451-8
    thuringiensis, 451-8
  Erwinia, 674, 678, 723, 733
    carotovora, 6, 256, 259, 345-50, 352 485, 497
      atroseptica, 486, 488, 490-2, 497, 501, 504, 535, 670-1, 724, 726
      carotovora, 486, 489, 490-1, 495, 497, 500-4, 535, 538, 671
    chrysanthemi, 505
  Pseudomonas
    fluorescens, 80
    solanacearum, 6, 534
Bacterial ring rot, 77
Bacterial wilt, 1
Banding fertilizer, 362
BAP, 615
Beta-exotoxin, 451-2
Blackleg, 109
Blackspot, 723-27, 731
Blackwart, 1
Blanching, 527
Blended fertilizer, 591, 594-6
Blightcast, 511-2
Blight ratings, 606-7
Breeding, 77
Breeding cycle, 387
Broadcast fertilizer, 362
Bromoethane, 531, 587, 619, 921
Bruise test, 689
Bulking rate, 691
Carborundum dust, 257
Chip color, 290, 546, 555
Chip color grade, 687
Chipping score, 285
Chloroplast agglutination test, 672, 678
CIMIS, 229
Cluster analysis, 599, 601, 605-8
Coefficient of evapotranspiration, 661, 666
Color grades, 36
Colorado potato beetle, 146, 157, 159, 160, 163-4, 405, 451-8, 511, 520-1, 529 715
Common scab, 292, 741
Crop oil, 580-2
Crop rotation, 746
Crop sequence, 523
Crop water use, 208
Cryobiology, 611
Cryopreservation, 569
Cutting knife, 253-4, 258
Cutworms, 511-2
Cyst nematodes, 1
Cytex, 293-9
Cytokinin, 293
DAP, 591
Disease resistance, 77, 713
Dry matter, 440
Dry matter content, 48, 385-6, 723, 725-6, 730-2
Early blight, 292, 397, 399, 547
Early generation selection methods, 383
Early potato, 281
1EBN, 521
1½ EBN, 522
2EBN, 521
Economic return, 57, 59

Electronic tracings, 411
ELISA, 254-5, 257, 401, 517, 531, 534, 538, 619, 621, 674, 716, 719-20, 737
ET data, 205, 219-21, 233, 477-8, 480-3
Evapotranspiration, 661-3, 665-7
Factor analysis, 539
Farm size, 525
Fat content, 35
Feel chart, 225
Flavor, 116, 123, 141-2
Flea beetles, 744
Fluming and washing, 495
French fry, 31-2
Fresh potatoes, 267
Frost, 1, 5, 6, 149
Fry processing, 321, 333
Fungi
Achyla flagellata, 132
Alternaria, 157
solani, 80, 509, 524
Chaetomium, 562
Cladosporium cucumerinum, 132
Colletotrichum, 157
atramentarium, 520
coccodes, 557, 558, 561, 564
Fusarium, 157, 557-8
coeruleum, 283
roseum, 671
sambucinum, 282, 540
Helminthosporium, 157
atrovirens, 670
carbonum, 131-2
solanum, 549, 555
victorae, 131-2
Neurospora crassa, 131
Pellicularia filamentosa, 80
Penicillium, 564
Phoma exigua var. *foveata*, 128, 670
tuberosa, 283
Phytophthora, 157
cinnamomi, 90, 129
infestans, 83-4, 88-90, 123-4, 126-34, 283, 332, 400, 509, 537-8, 549, 555, 599, 604, 736
erythroseptica, 540
megasperma f. sp. *glycinea*, 129
Pythium aphanidermatum, 131
Rhizoctonia, 1, 6, 292, 399
solani, 73, 283, 510, 520
Sclerotium rolfsii, 541
Spongospora subterranea, 6, 332
Streptomyces, 528, 741-2
scabies, 401, 520, 549, 741, 744
Synchitrium endobioticum, 6
Verticillium, 292, 399, 669, 675, 680, 686
albo-atrum, 80, 283, 396, 536, 670
dahliae, 396, 519-20, 526, 531-2, 535-6, 557-67, 670-3, 676-7, 681
Fungicides
Baytan, 132
Bravo, 85
Captan, 671
Chlorothalonil, 83, 88, 90
Dithane, 85
Fenorimel, 132
Mancozeb, 83, 85, 88, 90, 535, 743
Metalaxyl, 83-5, 88, 89-90, 535
Mobay NTN, 743
Oxamyl, 743
Ridomil, 84, 512, 530, 540
Terraclor, 743
Vanguard, 132
Gas chromatograph, 347
Genetic correlation, 697-8
Germination, 517
Gibberellic acid, 517
Glandular trichomes, 408-10, 413, 717
Glycoalkaloids, 77, 81, 115-6, 141, 160, 169-70, 518, 519
alanine, 269, 271-6
arginine, 269, 271-6
aspartic acid, 271-6
beta-alanine, 269-70
chaconine, 141, 149-52, 158-9, 164, 169, 407, 412
α-chaconine, 118-20, 126-7, 163, 174-8, 180, 412
β-chaconine, 175, 412
β_1-chaconine, 178
β_2-chaconine, 178
chacotriose, 151-2
commersonine, 412
cyclopamine, 152
cysteic acid, 269, 271, 273-7
cystine, 270, 273
dehydrocommersonine, 119-20, 152, 159, 161, 164
demissidine, 151-2, 174-5, 180
demissine, 118-20, 149-50, 158, 164, 171, 175, 412
dihydrochaconine, 152
dihydrosolanine, 152

gamma aminobutyric acid, 269, 271-6
glucosamine, 269-70
glutamic acid, 269, 271-6
glysine, 271-6
histidine, 269, 271-6
isolucine, 269, 271-8
jervine, 152
leptines, 119, 149, 152, 158, 160-1, 164, 180, 412
leucine, 269, 271-7
lysine, 269, 271-8
methionine, 269-70, 273-6
methionine sulfone, 269, 271
methionine sulfoxide, 269, 270-2, 274-8
ornithine, 269, 271-6
phenylalanine, 269, 271-7
proline, 271-6
serine, 271-6
solacauline, 120
solamarine, 118, 150-1
α-solamarine, 119, 126, 149, 151, 175, 407
β-solamarine, 119, 126, 149, 151, 164, 175, 407
solanidine, 151, 170, 174-5, 177-80
solanine, 141-2, 146-52, 158-9, 161, 164, 169, 171, 180, 334, 407, 412
α-solanine, 118-20, 126-7, 164, 171-8
γ-solanine, 179
solamargine, 119, 149
solanthrene, 178
solasodiene, 177
solasodine, 175, 177, 180
solasonine, 149
solatriose, 151-2
threonine, 269, 271-7
tomatidenol, 126, 150-1
tomatidine, 151-2, 171, 175, 177, 180
tomatine, 118-20, 149, 158, 161, 163 175, 412
α-tomatine, 171-3
tryptophan, 268-9, 271-7
tyrosine, 269, 271-8
valine, 269, 271-7
Glycoalkaloid content, 546
Golden nematode, 287, 292, 399, 543, 5 686
Green peach aphid, 405, 511-2, 525, 529 713-21
Growth, 207, 319
Growth curve, 207
Growth regulator, 293
Growth regulators
Alar, 132
Ethephon, 337, 340, 342
Ethrel, 131-2
MH, 335, 337, 340, 342
Phosphon, 132
Growth stage, 661-2
Harvest aids, 577
Hassia harvester, 107
Heat necrosis, 289
Herbicides
EPTC, 672-4
Metribuzin, 601, 672
Paraquat, 601
Trifluralin, 674
Heritability, 597-700
Hill modification, 519
Hollow heart, 77, 80, 93-4, 99, 546, 555
Hydridogenic, 1
Hydrostatic pressure, 497-501, 503-4
Insect resistance, 713
Insecticides
Aldicarb, 256, 541, 674, 742-4
Arsenicals, 746
Basamid, 540
Carbaryl, 256
Carbofuron, 742
Cloethocarb, 743
DDT, 746
Diazinon, 528, 741
Disulfoton, 742-3
Ditrapex, 540
Endosulfan, 601
Methamidophos, 601
Methomyl, 256
Methoxyclor, 672
Thiofanox, 742
Insects
Aulacorthum solani, 410-1
Empoasca fabae, 157, 161, 405-8, 509
Epilachna, 163
Heliothis zea, 163
Hyposoter exiguae, 163
Leptinotarsa decemlineata, 157-8, 405, 411-3, 509
Lygus lineolaris, 509
Macrosiphum euphorbiae, 405, 409-11
Melanoplus bivittatus, 163
Myzus persicae, 163, 254, 405, 409-11, 509, 518, 704, 713-4

Peridroma soucia, 509
Internal brown spot, 335, 338-42
IPM, 509, 511-6
IPM costs, 515-6
Irrigation, 530
Irrigation scheduling, 205, 211, 235, 661-2 667
Irrigation studies, 195
Kinetin, 293, 298
Knobby tubers, 73, 80
Labor costs, 365
Laponite, 262
Late blight, 83, 292, 395, 399, 735
Late blight resistance, 599
Leaf area index, 222
Leaf bud cuttings, 538
Leaf diffusive resistance, 477-8
Leaf injury, 319
Leaf water potential, 477-8
Leafroll, 1, 77, 80
Loopers, 511-2
Low temperature storage, 569
Machinery cost, 365
Mercury, 744
Microbial control, 451
Microwave heating, 31-2
Mineral content, 49-51
Mites, 528, 742, 744
N. levels, 525
NAA, 615
Negative selection, 432
Nematicides
  Nemagon, 132
  Telone, 132
Nematodes, 395
  Globodora, 6
    pallida, 163
    rostochiensis, 396, 401
  Meloidogyne, 332, 402
    chitwoodi, 402
  Pagagrellus medivivus, 163
  Pratylenchus crenatus, 536
    penetrans, 535, 557-61
    scribneri, 536
    thornei, 531
Neotuberosum, 461
Net necrosis, 80, 292, 435, 547
New cultivar, 77, 281, 287, 331, 435, 543, 549, 710
Nitrogen, 23
Nitrogen dioxide, 319, 328
Nozzle discharge, 224
Nuchar WV-L, 9, 13, 20-1
Nuchar 5-C, 9, 13, 20-1
Nutrient uptake, 50, 53, 54
Oxygen diffusion, 71
Ozone, 320
PAA
  Advance registration for 1984 Annual Meeting, 187
  Book Review: "Potato Diseases." A.E. Rich, 474
  Call for Nominations for Honorary Life Members, 656
  Call for Papers for 1984 Annual Meeting, 184
  Call for Papers for 1985 Annual Meeting, 654
  Financial audit, 623
  Graduate Student Awards, 82, 656
  Guidelines for tissue cultured potato seed stocks, 368
  Life Members
    Ray H. Carter, 644
    Thomas E. Houghton, Jr., 646
    Hugh J. Murphy, 649
    Robert L. Plaisted, 651
  Membership list for 1984, 371
  Message from President Iritani, 542
  Minutes
    Breeding and Genetics, 635
    Extension Section, 632
    Pathology Section, 634
    Physiology Section, 634
    Seed Certification, 636
    Utilization Section, 637
  National Potato Council Calendar of Events, 307
  Obituary
    George Tamaki, 251
  Papers published in Volume 26 (1983) of *Potato Research,* 247
  Position available, 106, 214
  Potato variety list published, 252
  Program of 68th Annual Meeting, 309
  Proposed catalogue of North American Potato Cultivars, 306
  Proposed changes in Constitution and By-Laws, 242
  Reports
    Advertising manager, 631
    Business editor, 629
    Editorial Office, 628
    Membership Secretary, 627

Treasurer, 623
Resolution of Appreciation, 631
Sections and Committees, 1984-5, 639
69th Annual Meeting, 654
Second Annual North American Seed Potato Seminar, 381
Parental breeding lines, 386
Pedigree tree, 538
Pest management, 508
Physico-chemical treatment, 9
Physiological disorder, 335
Plant diseases
Bacterial soft rot, 495-6, 499, 500
Blackleg, 510
Early blight, 519, 530
Leafroll, 387, 389, 399, 464, 529-30, 548
Powdery mildew, 530
Rhizoctonia, 529, 543, 548
Ring rot, 292, 548
Scab, 395, 399, 401, 528-9, 547, 549, 555
Silver scurf, 549
Verticillium wilt, 519, 520, 528, 530, 548
Plant spacing, 93, 95, 97
Plant species
Amaranthus retroflexus, 509
Ambrosia artemisiifolia, 509
Chenopodium album, 509
quinoa, 254
Cyperus esculentus, 578
Digitaria sanguinalis, 509
Echinochloa crus-galli, 509
Gomphrena globosa, 672-3, 678
Nicotiana debneyi, 250, 257, 259
Petunia hybrida, 326
Setaria lutescens, 509
Veratrum, 152
Plant-water status, 319
PMIF revenue, 532
Pollen, 569
Pollutant mixtures, 319
Potassium, 723, 729, 731-2
Sorbate, 743
Potato, 405, 419, 543, 569, 661, 713, 735
Potato aphid, 405, 511-512
Potato breeding, 385
Potato cultivars
New
Campbell 14, 710
Caribe, 281, 284, 285, 286, 439, 528, 587-8
Islander, 543-5
Redsen, 549-555
Russette, 77, 79, 81, 717, 720
Sunrise, 435
Tarago, 331, 333, 334
Yankee Chipper, 287, 288, 289, 290, 291, 292
Old
Acadia Russet, 603
Ajax, 703, 705-6
Antigo, 544
Apta, 390
Aquila, 390
Arran Banner, 337
Arran Victory, 603
Atica, 703, 705-7
Atlantic, 149, 464, 466, 469, 685, 717, 720
Atzimba, 735-8
Autumn Brand, 350
Avon, 283
Belchip, 290, 546
Belleisle, 425, 438, 587-8
BelRus, 31-2, 34-8, 77, 81, 717, 720-1
Bintje, 438, 587-8, 603, 691-6, 717, 720
Bison, 549-51, 553, 555, 603
Bolko, 390
Butte, 294, 295, 296
Cardinal, 703, 705, 707-8
Cariboo, 425
Centennial Russet, 81, 268, 272-3, 319, 541, 727-8, 730
Cherokee, 146, 288, 544, 684
Chieftain, 550, 587-8
Cosima, 703-6
Chipbelle, 290, 543-4
Delta Gold, 288, 544, 684
Denali, 546
Deodara, 148
Desiree, 519, 703-6
Dorita, 603-4
Earlaine, 281, 288, 544, 684
Early Gem, 486-7, 491
Everest, 391
Fundy, 438, 587-8
Furore, 321
Glen Ilam, 321
Green Mountain, 283, 531, 601-4
Houma, 146

Hunter, 603
Irish Cobbler, 283, 284, 602-4
Jemseg, 283, 438, 538-9, 587-8, 603
Juanita, 735-8
Katahdin, 145, 162, 268, 271, 273, 281, 288-9, 291, 425, 435, 464, 466, 469, 519-21, 538, 544, 546, 574-5, 584, 683-5, 688-9, 713, 716-21
Kennebec, 23-5, 41-2, 53, 55, 130, 132, 143, 145-6, 150-2, 253, 254, 255, 256, 257, 258, 259, 268, 271, 272, 273, 275, 276, 283, 284, 285, 286, 291, 319-20, 323, 325-6, 333-4, 363, 435, 437-44, 452, 518, 538-9, 541, 546, 587-8, 603, 685-8, 691-6 717, 720
Keswick, 603
Kolektyw, 391
Lemhi Russet, 294-9, 717, 720, 727-8, 730, 732
Lenape, 117, 146, 148-9, 288, 544, 684
Lenino, 387, 388
Libertas, 602-7
Maris Bard, 617
Maris Piper, 409
Menominee, 146, 288, 684
Mirka, 717
Monona, 289, 290, 579, 581, 584
Montana, 703-6
Montsama, 735-8
Murca, 735-8
Narew, 392
Nipigon, 603
Nooksack, 437-9, 440, 441-4, 519, 587-8, 603, 716-7, 720
Norchip, 268, 271, 275, 290, 319-20, 323-4, 326, 363, 438, 521, 543-4, 546, 579, 584
Norgleam, 544
Norgold Russet, 268, 717, 720
Norland, 253-9, 272, 532, 549, 551-5
Odra, 392
Onaway, 579, 584
Ontario, 689
Orion, 331
Ostragis, 288
Patrones, 703-8
Penobscot, 717, 720-1
Pentland Ace, 130
Pontiac, 288
Poprad, 392
Raritan, 425, 587-8
Record, 409
Red Bad, 703, 705-6
Red LaSoda, 294-6, 495, 497, 539 587-8
Red Pontiac, 145, 268, 275, 438, 538, 551-5, 587-8, 603
Resy, 707
Rosita, 735-8
Russet Burbank, 31-2, 34-8, 50, 57-8, 65, 67, 69, 73, 81, 93, 95, 132, 143, 215-9, 222, 237, 253-9, 268, 271-3, 276, 283, 286, 294-8, 319-20, 326-7, 335-6, 347, 363, 475, 477, 486-7, 490, 497-9, 501, 519-20, 530, 532, 538, 541, 557-9, 562-6, 579, 584, 587-8, 603, 619, 661-2, 664-6, 669, 671, 679-80, 686, 689 716-7, 720, 727-8, 730
Netted Gem, 144, 662
Sable, 538, 587-8
Sangre, 727-8, 730
Sebago, 282, 437-44, 578-9, 545, 586, 588, 603, 691-6
Seminole, 148
Shepody, 438, 538, 603
Superior, 268, 271, 273, 275, 289-90, 319-22, 336, 363, 546, 578-84, 685-9
Swit, 391
Targhee, 520, 717, 720
Tobique, 438
Tollocan, 735-8
Ulster Tarn, 409
Warba, 532
Wauseon, 287-8, 435, 518, 544, 603
White Rose, 85, 88, 268, 372, 541
White Rural, 143
Yankee Supreme, 683, 685, 687, 689
Numbered seedlings
11-79, 321
60-7-20, 321
96-56, 150-1, 281, 288, 425
279M3, 544
336-144, 288
499A, 288
792-94, 288
3895-13, 281
7670-7, 603
7675-13, 603
7703-1, 603

45208, 288, 544, 684
47102, 288
A503-42, 519, 717, 720-1
A589-65, 519, 717
A6445-2, 717, 720
A6948-4, 519, 717
A7411-2, 519
A66107-51, 294-6, 519
A68113-4, 519-20, 717, 720
A68588-16, 717, 720
A69569-10, 717, 720
A69657-4, 713, 716-8, 720-1
A72685-2, 717
A73474-9, 720
A73474-19, 717
A74114-4, 519, 717
A74595-11, 717, 720
A74705-2, 720
A76147-2, 519
AAP-9, 281
AC25953, 288
AC67560-1, 717
AD7267-1, 541
AD7377-1, 541
AM-66-42, 603
B56-11, 288
B81-40, 288
B83-9, 288
B355-24, 288
B400-1, 288
B607-56, 288
B929-23, 288
B931-2, 288
B2368-4, 288
B2919-1, 288
B3672-3, 288, 544, 684
B3686-2, 288
B3692-4, 288
B5149-8, 544
B5149-9, 288
B5219-1R, 550
B5422-10, 288
B6563-2, 435
B6987-148, 287-8
BC9020-7, 727-8, 730
BC9071-6, 727-8, 730
BC9289-1, 541, 727-8, 730, 732
BR6491-7, 683-4
BR6864-8, 287-8
C-38, 464, 466-7, 469-70, 472
CC26-1A, 684
D125, 464, 466, 469, 470
F51013, 425
F51643, 425
F53017, 425
F53048, 425
F53056, 425
F55066, 281
F56005, 425
F58050, 425
F60019, 425
F61101, 425
F62008, 425
F63054, 425
F71086, 602-4
F72127, 603
F73008, 603
F74047, 603
F74094, 603
F74123, 603
F74940, 603
F75072, 603
F75111, 603
F76057, 603
F76079, 603
Fred.A1, 716-8
JB1-3, 717, 720-1
K12-42-5, 281
M-42, 544
M5009-2, 544
N457, 425
ND146-4R, 549
ND4524,7R, 550
ND4652-4R, 550
ND4731-1, 544
ND5124-1R, 550
ND6053-1R, 550
ND6948-14R, 550
ND8078-9R, 550
ND8647-3R, 550
ND8978-3R, 549-50
ND9403-20R, 549-50
ND9647-3R, 550
PI245940.A5, 716-8
V28-12, 321
W231, 575
W2838, 523
WC230-14, 727-8, 730
WC521-12, 727-8, 730
WC567-1, 727-8, 730
WC630-2, 727-8, 730
WC672-2, 541
X96-140, 288
X245-52, 288

X792-88, 288
X926-36, 288
X927-3, 281
Potato diseases
Acid scab, 686
Blackleg, 686
Common scab, 686
Early blight, 686
Fusarium, 686
Late blight, 686
Rhizoctonia, 686
Ring rot, 686
Potato early dying, 557-9, 561, 564, 567
Potato leaf hopper, 405-6, 511-2
Potato quality, 661, 663
Potato species (Old)
Solanum, 569-70, 574
S. acaule, 1-3, 5-6, 117-20, 149, 304, 402
S. ajanhuiri, 118
S. andigena, 2, 147, 409
S. aviculare, 177
S. berthaultii, 119-20, 148, 162, 407-10, 413, 523, 718
S. boliviense, 523
S. brachycarpum, 118-20, 147, 407
S. brachistotrichum, 409
S. bulbocastanum, 161-2, 409
S. caldasii, 148
S. canadense, 523
S. cardiophyllum, 409
S. chacoense, 117-9, 146-7, 149, 151, 158-62, 164, 288, 303-4, 392, 407, 409, 412, 521-2, 572-3, 684
S. columbianum, 571
S. commersonii, 118-20, 147, 412, 521-2
S. curtilobum, 1, 3, 117-8
S. demissum, 149-50, 158, 409, 412
S. eutuberosum, 611-7
S. X *flavoviridens*, 714
S. gourlayi, 301-5, 388
S. hjertingii, 147, 409, 412
S. hougasii, 147, 161-2
S. huancabambense, 572
S. X *indunii*, 304
S. infundibuliforme, 304, 523
S. jamesii, 412
S. juzepozakii, 1, 2, 117-8, 149, 151
S. kurtzianum, 147, 162, 407, 571-4
S. laciniatum, 177
S. medians, 147, 407
S. megistacrolobum, 304, 388
S. microdontum, 303-4, 523, 572, 574
S. mochicense, 571
S. multidissectum, 409
S. oplocense, 304, 572, 574
S. pampasense, 572
S. phurija, 1, 2, 3, 6, 147, 149
S. pinnatisectum, 118-9, 147, 412, 571
S. polydenium, 118-9, 147, 158, 162, 407, 410, 412, 413
S. polytrichon, 409
S. raphanifolium, 523, 571-2
S. sanctae-rosae, 409, 523
S. spogazzinii, 304
S. stenophyllidium, 409
S. stenotomum, 2, 118, 147, 149
S. stoloniferum, 147, 149, 409
S. tarijense, 148, 302, 304, 407, 523
S. trifidium, 409
S. tuberosum, 1, 5, 41-2, 67, 109-10, 117, 119, 146-7, 150-1, 162, 261, 287, 293, 319, 388, 406, 409, 411, 414, 462, 475, 477, 485-6, 495, 497, 508, 522, 543, 549, 573-4, 577, 599, 612, 661-2, 669, 683, 691, 697-8, 703 713, 719, 721
S. tuberosum andigena, 303, 305, 462, 697-8, 713, 719, 721
S. tuberosum phureja, 524, 697-8, 713, 718-9
S. tuberosum stenotomum, 524, 713, 718-9
S. tuberosum tuberosum, 697
S. venturii, 305
S. vernei, 149, 163, 303, 305, 412
S. verrucosum, 120, 147
S. vidaurrei, 305
Potato transplants, 261-2, 264
Potato volatiles, 345, 349, 350-1
Post harvest, 485
Post harvest decay, 495
Powdery scab, 1
Pressure bruise, 546
Principal component analysis, 599, 601
Processing waste-water treatment, 9
Proline change, 427, 444, 445
Protein band patterns, 545
Protoplast survival, 616
Protoplasts, 611, 613
Purple skin, 281, 285
Quality, 67, 72, 74-7
Quinone, 724
Rainfall, 196

Redox-potential, 723, 725, 728, 730-2
Reducing sugar, 437, 439, 443, 445
R-gene resistance, 127, 130-2, 134, 139, 150
R-genes, 599
Retention of infectivity, 253, 259
Rindite, 587-8, 619, 621
Root colonization, 557
Root deterioration, 557
Root growth, 557, 562
Root knot nematodes, 399
Russet, 77
Samsun NN tobacco, 400
Scab gnats, 744
Sclerotinia wilt, 530
Screening methods, 395, 408, 410, 413
Seed size, 57-8, 61, 64, 93
Seed yield, 697
Seedpiece contact, 591, 594
Selection, 385, 405, 419, 422
Selection index, 697
Selection pressure, 386
Sensory scores, 37-8
Sesquiterpenoid stress metabolites, 123, 125, 127
Settling tank effluents, 11
Shoot elongation, 588
Shoot emergence, 588
Size distribution, 691, 695
Slow release of fertilizer, 27
Soft rot, 1, 109, 723-4, 726-9, 731-2
Soil arthropods, 741-2, 744
Soil-borne diseases, 557
Soil fumigation, 530
Soil moisture, 199
Soil oxygen, 67-8
Soil temperature, 45-6
Soil water, 67
Soil water potential, 477, 479
Solids, 554
Solids content, 34
Soluble carbohydrate, 437
Spacing, 57, 97, 99, 100, 102-3
Specific gravity, 26, 81, 203, 286, 291, 295-8, 332-3, 337, 340-1, 390, 436, 529-30, 538, 546-7, 675, 677, 683, 686
Spina bifida, 125
Split applications, 23, 27
Springtails, 528, 742, 744
Sprout inhibitors
  Maleic hydrazide, 132
Starch, 355, 357, 360
Starch yield, 388, 390-2
Stem culture, 355, 358-9
Steroid glycoalkaloids, 123, 125-6
Storage, 261, 267, 333, 335, 340, 345, 479-80, 525-6
Storage temperature, 262
Suberin, 478, 481
Sucrose, 442, 445
Sulfur, 743-4
Sulphur dioxide, 319, 328
Surfactant, 577
Survival, 261, 264
Tarnished plant bug, 511
Temperature, 261
Teramine, 347
Teratogenic activity, 142
Terpenoid metabolism, 123
TGA, 285, 290, 334, 435, 714-8
TGA levels, 116, 141-5, 147-8, 152, 157-8, 161, 163-4, 169
Thermotherapy, 735, 737
Tibaitata, 1
Tissue culture, 735
Tomato, 453
Top pulling, 439, 445
Total N, 267, 271-2, 274-7
TPS, 526, 529, 537, 697, 700-1
Trickle irrigation, 521
True seed, 3, 261, 262
Tuber dormancy, 438, 445, 447
Tuber color, 356
Tuber numbers, 471
Tuber shape, 342
Tuber sprouting, 437
Tuber uniformity, 697, 700
Tuber yield, 385, 386, 391, 594, 596-7
Tuberization, 355
2,4-D, 355-60
Urea, 572
Urea, and DAP toxicity, 591
Urea N, 591
Variety, 77
Vectors, 741
Vine and tuber selection, 461
Vine killer
  dinoseb, 577-8, 581-6, 742
  diquat, 691-3
  endothall, 577-8
  ethephon, 577, 580-2
Vine killing, 476, 483, 509
Vine senescence, 475
Virus, 385-6
  A, 80, 387-9, 399, 619

UNI MICROFILMS, INC (C) 14A
33 N. ZEEB ROAD
ANN ARBOR, MI. 48103

S

M, 387-9
PLRV, 283, 292, 713-7, 720-1
S, 77, 80, 283-60, 283, 387-9, 399, 517, 530, 619-21, 670-2, 738
Spindle tuber, 292
Spindle tuber viroid, 517
Tobacco streak, 517
X, 1, 77, 80, 112, 254, 283, 287, 292, 387-9, 395, 399, 400-1, 485, 517, 548, 676, 699, 680-3, 686, 735, 737-8
Y, 77, 80. 283, 292, 387-9, 395, 399, 400-1, 464, 517, 529-30, 538, 548, 619-22, 704, 738
Virus diseases
leafroll, 686
net necrosis, 683
spindle tuber, 686
Visual discrimination, 421, 432
Wastewater, 524
Water balance sheet, 209
Water stress, 196-7, 215, 475, 521, 529
WISP, 235
Wound healing, 475-6, 480
Yield, 25, 47, 49, 67, 72, 74, 81, 93, 97-8, 100-1, 202, 217-8, 237, 283, 291, 295-8, 332-3, 356, 363, 420, 436, 462, 470, 523, 530, 546-7, 549, 551, 555, 661, 663-4, 667, 669, 673-7, 679, 688, 691, 693-7, 700-2